REPROCHEM
CHEMICALS FOR GRAPHIC ARTS

GRINDING & POLISHING

POLISHING STONES

Thanks to a long tradition and knowledge in this field, Reprochem is producing different products to get the best quality cylinder surface, copper stones, chrome stones, paper, pastes and others.



POLISHING STONES

COPPER POLISHING:
120, 220, 240
280, 400, 600
800, 1000
1500
2000, 2500, 3000, 4000.

CHROMIUM AND NICKEL POLISHING: 800 CR, 1000 CR, 1500 CR.

STEEL POLISHING:
120, 220, 240.

STONE SPECIFICATIONS FOR COPPER AND CHROME

External diameter:	195 mm and 200mm
Inner diameter:	55 and 100 mm
Height:	50 and 70 mm

STONE SPECIFICATIONS FOR COPPER AND CHROME

External diameter:	200mm
Inner diameter:	55 and 100 mm
Height:	50 and 70 mm

SPECIAL STONES SHAPE:

Octagonal shape - Inner hole 50 mm - Height 50 mm

THERMOFUSIBLE ADHESIVE STONE
Granular adhesive with low melting point temperature with excellent adhesion of the stones on the metal support. Short time operation.

LIQUID STONE ADHESIVE
Liquid glue, solvent based, to stick the stones on the metal support of the polishing machine.



BI-ADHESIVE DISKS
Bi-adhesive support with thin thickness to fix the stone on the metal support. It replaces the traditional fixing systems.

POLISHING PASTE FOR COPPER TYPE “BL”
Oil based solution to obtain bright copper surface. It removes strong oxide giving a low roughness and high gloss surface.

GLOBO POLISH “B”
Oil based paste to obtain bright copper surface. Can be used also with mechanical application. It removes strong oxide giving a low roughness and high gloss surface.

ANTI-OXIDANT CU 1+9
Concentrated solution to be diluted with water. Wetting the Copper surface, protects the cylinder from the oxidation.

FINE CUTTING TOOL

ROUGH CUTTING TOOL